


Please include this form with your old cover.

Bow



Stern

Spreader Lights ?

NOTE:

All measurements should be taken inside-inside of FRAME, not old canvas.

Side-side measurements:

Just reach up and measure inside-inside of frame; both front and back as shown green arrows. Keep tape straight. Do not bend.

Length measurement:

Should be taken with tape resting **over topside** to include crowning, yet still inside-inside of frame, right down the middle.

If canvas is still on the frame, please mark with Sharpie (**from underside**) **EVERYTHING** welded to the hoop; support bars, rocket launchers, spreader lights, tubing, etc. **REASON:** to avoid for grommet placement, **Especially if** they are outside of frame because they could offset lacing. (anything that touches the frame, even outside grab bar weld points).

Marks only need to be 2-3" long.

Rocket Launchers ?

Color

Frame (A,B,C,D,E,F)

Width (Front)

Width (Aft)

Length

Phone #

Email address




We do ONE THING, and we do it better than anyone else


A-Team Marine
1430 Elm Terrace
Titusville, FL 32780

321-268-5484
www.ateammarine.com


There are many different types of T-Top frames. Which type most resembles yours? Please write the letter of yours on previous page.




A




B




C



D



E



F

That's all there is to it folks:

1. **Make a few marks on the underside of your canvas 2"-3" long where all obstructions are.**
2. **Take off your old cover to measure the FRAME.**
3. **Measure your frame inside-inside as shown on diagram, then write them on the 1st page drawing after you print it. (include letter of top that most describes yours)**
4. **Mail it to us with 1st page of this form.**
5. **Include a check payable to A-Team Marine or:**
 - **PayPal payment: dave@ateammarine.com or:**
 - **Pay online any MasterCard, Visa, American Express, Discover, Bank Card**
<http://www.ateammarine.com/Ordering.htm>

BEFORE REMOVING YOUR OLD T-TOP COVER

- **Measuring**

We must measure **INSIDE to INSIDE** of the **FRAMEWORK** because that is the size of the canvas once it is made up. Outside measurements are no good.

When measuring width / side-side, just reach up and measure inside-inside before the corner at both front and back without bending your tape.

When measuring length, measurement should be taken with tape resting **over topside** to include crowning, yet still inside-inside of frame, right down the middle.

- **Marking**

From the underside of your old T-Top Cover, take a Sharpie, or grease pencil, and make a 2" – 3" mark on each side of your support bars. Also, mark additional areas such as rocket launchers, spreader lights, outside grab rails, and GPS if attached to the hoop. Mark everything that is welded to the hoop. These are areas we do not want to put a grommet because it will shift your lacing, whether they be on the **inside or the outside of your framework**. Sometimes we will put the grommets back in the same place, but other times we see evidence where they should have been placed differently.

We take pride in our work to give you bragging rights too. We pay attention to detail, where others don't always. If we are going to make you a new T-Top Cover, let's do it right and not duplicate any mistakes. We see them come into the shop in all ways, shapes, and forms, and try our best to give you the best fit we can. We know it's scary to order anything custom over the Internet and expect 100% satisfaction, and that is why we go the extra mile.

Thanks for trusting our abilities. We appreciate it and will do a good job for you !!